

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Date of Report: 09/30/10
Date Received: 09/28/10
Project: % of Acid, PO M06144, F&BI 009300
Date Analyzed: 09/29/10

**RESULTS FROM THE ANALYSIS OF AQUEOUS SAMPLES
FOR SPECIFIC GRAVITY
@ 15.56 °C**

Sample ID

Laboratory ID

Specific Gravity

M06144A Small Tank
009300-01

1.22

M06144B Large Tank
009300-02

1.25

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Date of Report: 09/30/10
Date Received: 09/28/10
Project: % of Acid, PO M06144, F&BI 009300
Date Analyzed: 09/30/10

**RESULTS FROM THE ANALYSIS OF AQUEOUS SAMPLES
FOR PERCENT ACID**

<u>Sample ID</u> Laboratory ID	<u>Percent Acid</u>
M06144A Small Tank 009300-01	8.89
M06144B Large Tank 009300-02	9.27

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Date of Report: 09/30/10

Date Received: 09/28/10

Project: % of Acid, PO M06144, F&BI 009300

**QUALITY ASSURANCE RESULTS
FOR THE ANALYSIS OF AQUEOUS SAMPLES
FOR SPECIFIC GRAVITY
@ 15.56 °C**

Laboratory Code: 009300-01 (Duplicate)

Analyte	Sample Result	Duplicate Result	Relative Percent Difference	Acceptance Criteria
Specific Gravity	1.22	1.22	0	0-2

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Date of Report: 09/30/10

Date Received: 09/28/10

Project: % of Acid, PO M06144, F&BI 009300

**QUALITY ASSURANCE RESULTS
FROM THE ANALYSIS OF AQUEOUS SAMPLES
FOR PERCENT ACID**

Laboratory Code: 009300-01 (Duplicate)

Analyte	Sample Result	Duplicate Result	Relative Percent Difference	Acceptance Criteria
Percent Acid	8.89	8.89	0	0-20

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Data Qualifiers & Definitions

a - The analyte was detected at a level less than five times the reporting limit. The RPD results may not provide reliable information on the variability of the analysis.

A1 - More than one compound of similar molecule structure was identified with equal probability.

b - The analyte was spiked at a level that was less than five times that present in the sample. Matrix spike recoveries may not be meaningful.

ca - The calibration results for this range fell outside of acceptance criteria. The value reported is an estimate.

c - The presence of the analyte indicated may be due to carryover from previous sample injections.

d - The sample was diluted. Detection limits may be raised due to dilution.

ds - The sample was diluted. Detection limits are raised due to dilution and surrogate recoveries may not be meaningful.

dv - Insufficient sample was available to achieve normal reporting limits and limits are raised accordingly.

fb - Analyte present in the blank and the sample.

fc - The compound is a common laboratory and field contaminant.

hr - The sample and duplicate were reextracted and reanalyzed. RPD results were still outside of control limits. The variability is attributed to sample inhomogeneity.

ht - Analysis performed outside the method or client-specified holding time requirement.

ip - Recovery fell outside of normal control limits. Compounds in the sample matrix interfered with the quantitation of the analyte.

j - The result is below normal reporting limits. The value reported is an estimate.

J - The internal standard associated with the analyte is out of control limits. The reported concentration is an estimate.

jl - The analyte result in the laboratory control sample is out of control limits. The reported concentration should be considered an estimate.

jr - The rpd result in laboratory control sample associated with the analyte is out of control limits. The reported concentration should be considered an estimate.

js - The surrogate associated with the analyte is out of control limits. The reported concentration should be considered an estimate.

lc - The presence of the compound indicated is likely due to laboratory contamination.

L - The reported concentration was generated from a library search.

nm - The analyte was not detected in one or more of the duplicate analyses. Therefore, calculation of the RPD is not applicable.

pc - The sample was received in a container not approved by the method. The value reported should be considered an estimate.

pr - The sample was received with incorrect preservation. The value reported should be considered an estimate.

ve - Estimated concentration calculated for an analyte response above the valid instrument calibration range. A dilution is required to obtain an accurate quantification of the analyte.

vo - The value reported fell outside the control limits established for this analyte.

x - The sample chromatographic pattern does not resemble the fuel standard used for quantitation.

009300

SAMPLE CHAIN OF CUSTODY

ME 09/28/10

AI4

Send Report To George ThompsonCompany Alaskan Copper WorksAddress 628 S. Harbor StCity, State, ZIP Seattle WA 98134Phone # 206-571-6033 Fax # 206-382-4309

SAMPLETS (signature) _____

PROJECT NAME/NO.

% of Acid

PO #

106144

REMARKS

Page # _____ of _____

TURNAROUND TIME

☐ Standard (2 Weeks)☒ RUSH

Rush charges authorized by: _____

SAMPLE DISPOSAL

☐ Dispose after 30 days☐ Return samples☐ Will call with instructions

Sample ID	Lab ID	Date	Time	Sample Type	# of containers	ANALYSES REQUESTED										Notes
						TPH-Diesel	TPH-Gasoline	BTEX by 8021B	VOCs by 8260	SVOCs by 8270	HFS	% of Acid	SG			
M06144A	01	9/28/10	3:00	HNO3	1							X	X			
Small tank																
M06144B	02	9/28/10	3:00	HNO3	1							X	X			
Large tank																

Friedman & Bruya, Inc.
3012 16th Avenue West

Seattle, WA 98119-2029

Ph. (206) 285-8282

Fax (206) 283-5044

FORMS\COC\COC.DOC

SIGNATURE

PRINT NAME

COMPANY

DATE

TIME

Relinquished by: _____

George ThompsonACW9/28/103:52 PM

Received by: _____

Nhan PhanNhan PhanFEBI9/28/10V

Relinquished by: _____

Received by: _____

Samples received at 24 °C

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

James E. Bruya, Ph.D.
Charlene Morrow, M.S.
Yelena Aravkina, M.S.
Bradley T. Benson, B.S.
Kurt Johnson, B.S.

3012 16th Avenue West
Seattle, WA 98119-2029
TEL: (206) 285-8282
FAX: (206) 283-5044
e-mail: fbi@isomedia.com

September 30, 2010

Gerry Thompson, Project Manager
Alaskan Copper Works
628 South Hanford
Seattle, WA 98134

Dear Mr. Thompson:

Included are the results from the testing of material submitted on September 28, 2010 from the % of Acid, PO M06144, F&BI 009300 project. There are 5 pages included in this report. Any samples that may remain are currently scheduled for disposal in 30 days. If you would like us to return your samples or arrange for long term storage at our offices, please contact us as soon as possible.

We appreciate this opportunity to be of service to you and hope you will call if you have any questions.

Sincerely,

FRIEDMAN & BRUYA, INC.



Michael Erdahl
Project Manager

Enclosures
ACU0930R.DOC